

SUBMITTAL DATA SHEET



Series Name: M4 One-Way Cassette
Model Number: MCO09H2BHRA

M4 One-Way Cassette	
Location:	Approval:
Engineer:	Date:
Submitted to:	Construction:
Submitted by:	Unit #:
Reference:	Drawing #:




INDOOR SPECIFICATION		
Indoor Air Flow (Turbo/H/M/L/Si) (CFM)		341.4 / 294.3 / 259.0 / 235.4 / N/A
Indoor Noise Level (Turbo/H/M/L/Si) (dBA)		46.5/38.5/34.0/24.0/22.0
Dimension (W×D×H)	inch	50.31 x 13.19 x 8.98
	mm	1278.0×335.0×228.0
Package (W×D×H)	inch	57.60 x 22.48 x 22.64
	mm	1463×571×575
Net/Gross Weight	lbs	45.19/82.45
	kg	20.5/37.4

ELECTRICAL	
Power Supply	208/230V,60Hz,1Ph
Indoor Fan Motor RLA	0.8
Indoor Fan Motor W	30

PIPING	
Throttle type(Indoor)	N/A
Liquid Size	6.35mm(1/4in)
Gas Size	9.52mm(3/8in)
Connection Method	Flared

Indoor Unit Dimension




Installation Instruction


Installation place

(unit: inch/mm)

Perspective A



Perspective B



SUBMITTAL DATA SHEET



Series Name: M4 One-Way Cassette
Model Number: MCO12H2BHRA

M4 One-Way Cassette	
Location:	Approval:
Engineer:	Date:
Submitted to:	Construction:
Submitted by:	Unit #:
Reference:	Drawing #:




INDOOR SPECIFICATION		
Indoor Air Flow (Turbo/H/M/L/Si) (CFM)		353.2 / 312.0 / 282.5 / 247.2 / 176.6
Indoor Noise Level (Turbo/H/M/L/Si) (dBA)		N/A/43.0/37.5/26.0/22.0
Dimension (W×D×H)	inch	50.31 x 13.19 x 8.98
	mm	1278.0×335.0×228.0
Package (W×D×H)	inch	57.60 x 22.48 x 22.64
	mm	1463×571×575
Net/Gross Weight	lbs	45.19/82.45
	kg	20.5/37.4

ELECTRICAL	
Power Supply	208/230V,60Hz,1Ph
Indoor Fan Motor RLA	1.0
Indoor Fan Motor W	30

PIPING	
Throttle type(Indoor)	N/A
Liquid Size	6.35mm(1/4in)
Gas Size	9.52mm(3/8in)
Connection Method	Flared

Indoor Unit Dimension




Installation Instruction


Installation place

(unit: inch/mm)

Perspective A



Perspective B



SUBMITTAL DATA SHEET



Series Name: M4 One-Way Cassette
Model Number: MCO18H2BHRA

M4 One-Way Cassette	
Location:	Approval:
Engineer:	Date:
Submitted to:	Construction:
Submitted by:	Unit #:
Reference:	Drawing #:




INDOOR SPECIFICATION		
Indoor Air Flow (Turbo/H/M/L/Si) (CFM)		400.2 / 352.0 / 300.2 / 207.2 / N/A
Indoor Noise Level (Turbo/H/M/L/Si) (dBA)		N/A/44.0/41.0/29.5/24.0
Dimension (W×D×H)	inch	50.31 x 13.19 x 8.98
	mm	1278.0×335.0×228.0
Package (W×D×H)	inch	57.60 x 22.48 x 22.64
	mm	1463×571×575
Net/Gross Weight	lbs	45.19/82.89
	kg	20.5/37.6

ELECTRICAL	
Power Supply	208/230V,60Hz,1Ph
Indoor Fan Motor RLA	1.2
Indoor Fan Motor W	30

PIPING	
Throttle type(Indoor)	N/A
Liquid Size	6.35mm(1/4in)
Gas Size	12.7mm(1/2in)
Connection Method	Flared

Indoor Unit Dimension




Installation Instruction

Installation place

(unit: inch/mm)

Perspective A



Perspective B

